

HAMMERS NON-SPARKING

GED100

ENGINEERS' HAMMER
 With hickory handle
 Similar to DIN 1041, face and pein ground



Code	No.	Weight
2522594	GED1000100S	100
2522586	GED1000150S	150
2522578	GED1000200S	200
2522543	GED1000300S	300
2522527	GED1000400S	400
2522500	GED1000500S	500
2522497	GED1000600S	600
2522470	GED1000700S	700
2522454	GED1000800S	800
2522446	GED1000900S	900
2517086	GED1001000S	1000
2517078	GED1001250S	1250
2517043	GED1001500S	1500
2517027	GED1002000S	2000

GED100

ENGINEERS' HAMMER
 With nearly unbreakable fibreglass handle
 Similar to DIN 1041, face and pein ground



Code	No.	Weight
2522551	GED1000300F	300
2522535	GED1000400F	400
2522519	GED1000500F	500
2522462	GED1000800F	800
2517094	GED1001000F	1000
2517051	GED1001500F	1500
2517035	GED1002000F	2000

GED104

SLEDGE HAMMER
 With hickory handle
 Similar to DIN 1042, face and pein ground



Code	No.	Weight
2509873	GED1042500S	2500
2509857	GED1043000S	3000
2509830	GED1044000S	4000
2509814	GED1045000S	5000
2509806	GED1046000S	6000
2509776	GED1048000S	8000
2509768	GED1049000S	9000
2507668	GED1041000S	10000
2507641	GED1041200S	12000
2507633	GED1041500S	15000

GED104

SLEDGE HAMMER
 With nearly unbreakable fibreglass handle
 Similar to DIN 1042, face and pein ground



Code	No.	Weight
2509865	GED1043000F	3000
2509849	GED1044000F	4000
2509822	GED1045000F	5000
2509792	GED1048000F	8000
2507676	GED1041000F	10000

GED103

CLUB HAMMER
 With hickory handle
 Face ground



Code	No.	Weight
2510138	GED1031000S	1000
2510103	GED1031250S	1250
2510073	GED1031500S	1500
2510057	GED1032000S	2000
2510022	GED1032500S	2500
2510006	GED1033000S	3000
2509989	GED1034000S	4000
2509962	GED1035000S	5000
2509946	GED1036000S	6000
2509881	GED1038000S	8000
2507684	GED1031100S	10000

GED103

CLUB HAMMER
With nearly unbreakable fibreglass handle
Face ground



Code	No.	
2510146	GED1031000F	1000
2510111	GED1031250F	1250
2510081	GED1031500F	1500
2510065	GED1032000F	2000
2510049	GED1032500F	2500
2510014	GED1033000F	3000
2509997	GED1034000F	4000
2509970	GED1035000F	5000
2509954	GED1036000F	6000
2509938	GED1038000F	8000
2507692	GED1031100F	10000

GED113

MINING HAMMER
With hickory handle
Face ground



Code	No.	
2514095	GED1131000S	1000
2514087	GED1131500S	1500
2514060	GED1132500S	2500
2514052	GED1133500S	3500
2514044	GED1135000S	5000
2514036	GED1138000S	8000

GED113

MINING HAMMER
With nearly unbreakable fibreglass handle
Face ground



Code	No.	
2513625	GED1131000F	1000
2513617	GED1131500F	1500
2513609	GED1132500F	2500
2513595	GED1133500F	3500
2513560	GED1135000F	5000
2513552	GED1138000F	8000

GED102

ENGINEERS' HAMMER American pattern
With hickory handle



Code	No.	
2522438	GED1020100S	100
2522411	GED1020150S	150
2522403	GED1020200S	200
2522381	GED1020300S	300
2522373	GED1020400S	400
2522365	GED1020500S	500
2522349	GED1020600S	600
2522330	GED1020700S	700
2522322	GED1020800S	800
2522314	GED1020900S	900
2517019	GED1021000S	1000
2517000	GED1021300S	1300
2516985	GED1021500S	1500
2516977	GED1022000S	2000

GED109

HAND HAMMER American pattern



Code	No.	
2522306	GED1090700S	700
2516969	GED1091200S	1200
2516950	GED1091600S	1600

GED108

SET HAMMER
With hickory handle



Code	No.	
2514702	GED1081500S	1500

GED116

HOLE/DRIFT PUNCH
With hickory handle



Code	No.	
2498944	GED1161000S	1000
2498936	GED1162000S	2000
2498898	GED1163000S	3000
2498871	GED1165000S	5000

GED112

MACHINIST'S HAMMER American pattern
With hickory handle



Code	No.	
2505924	GED1120100S	100
2505916	GED1120300S	300
2505908	GED1120500S	500
2505894	GED1120600S	600
2505878	GED1120800S	800
2505851	GED1120900S	900
2503085	GED1121100S	1100

GED106

CLAW HAMMER
With hickory handle



Code	No.	
2514133	GED1060300S	300
2514125	GED1060400S	400
2514117	GED1060500S	500
2514109	GED1060600S	600

GED701

BRICKLAYER'S HAMMER
With hickory handle
Similar to DIN 5108



Code	No.	
2513803	GED7010600S	600
2513781	GED7010800S	800
2513250	GED7010900S	1000

GED703

BRICKLAYER'S HAMMER American pattern
With hickory handle



Code	No.	
2511754	GED7030700S	700

GED105

SCALING HAMMER
With hickory handle



Code	No.	
2507625	GED1050200S	200
2507617	GED1050400S	400
2507609	GED1050500S	500
2507587	GED1050600S	600
2507579	GED1050800S	800
2507560	GED1050900S	900
2505932	GED1051400S	1400

GED702

MALLET
With hickory handle



Code	No.	
2495538	GED7020900S	900
2521970	GED7021800S	1800
2521962	GED7022700S	2700

GED704

CHISEL HAMMER

With hickory handle



Code	No.	
2513242	GED7041300S	1300
2513234	GED7042100S	2100

GED705

DRIFT PUNCH

With hickory handle



Code	No.	Ø mm	
2513773	GED7050800S	8	800
2513196	GED7051800S	10	800
2513226	GED7051200S	12	1200
2513188	GED7052200S	16	1200

226 E

RUBBER MALLET hard

DIN 5128-90, 90 Shore A

With two flat surfaces

2 A with one curved and one flat surface

With ash handle



Code	No.	h mm	l mm	Ø mm	W g	
8825500	226 E-0	80	260	40	210	6
8825690	226 E-1	90	320	55	370	6
8825770	226 E-2	115	340	65	630	6
8825850	226 E-2 A	115	340	65	578	6
8825930	226 E-3	130	380	75	990	6
8826070	226 E-4	140	380	90	1460	6

227 E

RUBBER MALLET soft

DIN 5128-60, 60 Shore A

With two flat surfaces

2 A with one curved and one flat surface

With ash handle



Code	No.	h mm	l mm	Ø mm	W g	
8826660	227 E-0	80	260	40	150	6
8826740	227 E-1	90	320	55	320	6
8826820	227 E-2	115	340	65	540	6
8826900	227 E-2 A	115	340	65	430	6
8827040	227 E-3	130	380	75	770	6
8827120	227 E-4	140	380	90	1050	6

228

WOODEN MALLET

Made from white beech wood

Acc. to DIN 7462 A



Code	No.	l mm	Ø mm	W g	
8828010	228-60	300	60	350	6
8828280	228-70	340	70	470	6

RECOILLESS HAMMERS NON-SPARKING

i

Recoilless hammers


All Power Drive® recoilless hammers are made in the USA with Nuplaglas® fibre glass handles.

The patented, impact-resilient compound material of the inner cavities is enveloped in an extremely robust polymer protective jacket.

Compared to other hammers of this type, this results in a 40 % rise in impact power and a reduction of recoil.

The specially designed impact surface material ensures an extremely high level of surface protection and unbelievable durability.

In order that a non-sparking version is involved, brass surfaces are also available.



GEDSFN

RECOILLESS HAMMER

With Nuplaglas® fibreglass handle




Code	No.	Ø mm	W g
2495341	GEDSFN1SG	40	800
2521431	GEDSFN2SG	50	1000
2521423	GEDSFN3SG	60	1300
2521415	GEDSFN4SG	70	1600

GEDSDS

RECOILLESS HAMMER with non-sparking striking face

With Nuplaglas® fibreglass handle




Code	No.	Ø mm	Weight
2511509	GEDSDSFB-2SG	50	1000

GEDSTPN

RECOILLESS HAMMER with fixed plastic caps

With Nuplaglas® fibreglass handle



Code	No.	Ø mm	Weight
2495333	GEDSTPN16	16	450
2495325	GEDSTPN24	24	675

GEDSPI

NON-SPARKING HOLDER without cap

With Nuplaglas® fibreglass handle



Code	No.	Ø mm	Weight
2521407	GEDSPI106N	25	350
2521393	GEDSPI156N	40	500
2516691	GEDSPI206N	50	1000
2516683	GEDSPI256N	65	2000
2516675	GEDSPI306N	75	3000

GEDSPS

PLASTIC HAMMER without cap

With Nuplaglas® fibreglass handle



Code	No.	Ø mm	Weight
2511371	GEDSPS105N	25	250
2511266	GEDSPS150N	40	450
2511142	GEDSPS155N	40	300
2511002	GEDSPS200N	50	700
2494515	GEDSPS205N	50	1000
2494396	GEDSPS250N	65	1150
2494272	GEDSPS255N	65	1950
2494159	GEDSPS300N	75	1500
2494035	GEDSPS305N	75	3000
2493918	GEDSPS306N	75	3400
2493780	GEDSPS307N	75	3700

i



softmedium softmedium hard

hardhardextra hard

Brass

GED10				
CAPS 25 MM Ø for SPI106N, SPS105N				
Code	No.	Ø mm	Hardness	Weight
2514443	GED10H-N	25	hard	40
2514427	GED10M-N	25	medium hard	40
2514893	GED10S-N	25	soft	40
2513765	GED10SN-N	25	medium soft	40
2502798	GED10T-N	25	hard	40
2511983	GED10XH-N	25	extra hard	40

GED15				
CAPS 40 MM Ø for SPS150N, SPS155N, SPI156N				
Code	No.	Ø mm	Hardness	Weight
2513463	GED15B-N	40	Brass	40
2514907	GED15H-N	40	hard	40
2509547	GED15M-N	40	medium hard	40
2505509	GED15S-N	40	soft	40
2505770	GED15SN-N	40	medium soft	40
2514885	GED15T-N	40	hard	40
2509520	GED15XH-N	40	extra hard	40

GED20				
CAPS 50 MM Ø for SPS200N, SPS205N, SPI206N				
Code	No.	Ø mm	Hardness	Weight
2513269	GED20B-N	50	Brass	130
2514877	GED20H-N	50	hard	90
2509490	GED20M-N	50	medium hard	90
2514478	GED20S-N	50	soft	90
2505568	GED20SN-N	50	medium soft	100
2514869	GED20T-N	50	hard	100
2509482	GED20XH-N	50	extra hard	100

GED25				
CAPS 65 MM Ø for SPS250N, SPS255N, SPI256N				
Code	No.	Ø mm	Hardness	
2502771	GED25H-N	65	hard	70
2516802	GED25M-N	65	medium hard	70
2507536	GED25S-N	65	soft	70
2516721	GED25SN-N	65	medium soft	70
2505525	GED25T-N	65	hard	70
2505495	GED25XH-N	65	extra hard	70

GED30				
CAPS 75 MM Ø for SPS305N, SPS307N, SPI306N				
Code	No.	Ø mm	Hardness	
2514850	GED30H-N	75	hard	240
2509474	GED30M-N	75	medium hard	240
2514451	GED30S-N	75	soft	270
2505541	GED30SN-N	75	medium soft	270
2514842	GED30T-N	75	hard	280
2509466	GED30XH-N	75	extra hard	310

CHISELS NON-SPARKING

GED115				
FLAT COLD CHISEL flat oval ✔ Cutting edge free of burrs				
Code	No.	l mm	mm 	
2522292	GED1150150S	150	20	200
2522284	GED1150200S	200	25	320
2522276	GED1150250S	250	25	550
2522268	GED1150300S	300	25	560
2522241	GED1150400S	400	30	630
2522225	GED1150450S	450	30	750
2522217	GED1150500S	500	30	920

GED115

SPLITTING CHISEL flat

✔ Cutting edge free of burrs



Code	No.	l mm	mm 	Height	
2498979	GED1150001S	200	25	5	360
2498960	GED1150002S	250	25	5	460
2498952	GED1150003S	300	25	5	550

GED709				
BRICKLAYER'S CHISEL hexagon ✔ Similar to DIN 7254 ✔ Cutting edge free of burrs				
Code	No.	l mm	mm 	
2495511	GED7090006S	200	6	35
2521938	GED7090008S	150	8	40
2521911	GED7090010S	150	10	120
2521903	GED7090014S	150	14	200
2521792	GED7090200S	200	14	250
2521784	GED7090250S	250	14	300
2521814	GED7090140S	300	14	400
2521881	GED7090017S	150	17	300
2521806	GED7090170S	250	17	450
2521776	GED7090300S	300	17	550

Code	No.	l mm	mm 	
2521873	GED7090020S	200	19	500
2521946	GED7090002S	250	19	600
2521768	GED7090350S	350	19	850
2521725	GED7090400S	400	19	1000
2521849	GED7090023S	250	22	850
2521857	GED7090022S	300	22	1000
2521717	GED7090500S	500	22	1600
2521709	GED7090600S	600	22	2000
2521830	GED7090027S	250	27	580
2521822	GED7090050S	300	32	850

GED116				
CROSS-CUT CHISEL oval ✔ Cutting edge free of burrs				
Code	No.	l mm	mm 	
2522209	GED1160150S	150	8	250
2522195	GED1160200S	200	8	340
2522187	GED1160250S	250	8	480
2522179	GED1160300S	300	10	640

GED710				
CROSS-CUT CHISEL hexagon ✔ Cutting edge free of burrs				
Code	No.	l mm	mm 	
2502720	GED7100200S	200	14	270
2502712	GED7100250S	250	14	330
2502704	GED7100300S	300	17	550
2502682	GED7100400S	400	19	960

GED708				
POINT CHISEL hexagon				
Code	No.	l mm	mm 	
2502763	GED7080200S	200	14	270
2502755	GED7080250S	250	14	330
2502747	GED7080300S	300	17	550
2502739	GED7080400S	400	19	960

GED711				
CONCRETE CHISEL				
Code	No.	l mm	Height	
2513757	GED7110380S	380	45	5000

108 UNI

PROTECTIVE HAND GUARD

➤ Made from PVC

➤ Improved protective plate offers highest safety for the hand against impacts

➤ Ergonomic design

➤ Avoids injuries of the hand

➤ No rolling away (elliptical-shaped)

➤ Jarring blows do not move into the hand

➤ No fatigue of the hand - optimum hold

➤ All chisels from 250 mm length can be supplied with universal protective hand guard (HS)

➤ DBGm (German utility patent)

if

product design award

2008

Code	No.	oval	octagonal		
8658500	108 UNI	20 x 12	14	182	1
		23 x 13	16		
		26 x 13	18		
		26 x 7	20		

PIN / DRIFT PUNCHES NON-SPARKING

GED120

SCRIBER

Code	No.	mm	Ø	
2514974	GED1201900S	190	4	50
2514966	GED1202250S	225	6	50

GED195

OFFSET PIN

Code	No.	L	W	Ø	
2495643	GED1950300S	300	100	13	200
2495635	GED1950400S	450	150	19	1300
2495619	GED1950401S	450	150	16	930
2495600	GED1950402S	450	150	24	2000
2495597	GED1950403S	450	150	27	2300
2495589	GED1950404S	450	150	30	3300
2495570	GED1950405S	500	150	16	1300
2495562	GED1950406S	600	200	20	2400
2495554	GED1950407S	800	200	22	3400

GED081

SQUARE BLADED AWL

Code	No.	mm	
2512505	GED0810060S	100	80

GED118

DRIFT PUNCH conical

➤ Similar to DIN 6458

Code	No.	L	s	d	
2503026	GED1180010S	120	1	8	35
2503018	GED1180020S	120	2	8	35
2502992	GED1180030S	120	3	8	35
2502984	GED1180040S	120	4	8	40
2502976	GED1180050S	120	5	10	60
2502968	GED1180060S	120	6	10	60
2502941	GED1180070S	120	7	10	65
2502925	GED1180080S	120	8	10	65
2502917	GED1180090S	150	9	13	135
2498855	GED1180100S	150	10	13	140
2498847	GED1180120S	160	12	16	220
2498839	GED1180140S	160	14	16	230
2498820	GED1180160S	200	16	20	500
2498812	GED1180180S	200	18	20	500
2498804	GED1180200S	200	20	24	620
2498790	GED1180220S	200	22	24	640

GED118

DRIFT PUNCH conical, strong version

Code	No.	L	s	d	
2515164	GED1180011S	150	6	13	100
2515040	GED1180012S	150	7	17	100
2514923	GED1180013S	200	8	21	395
2496844	GED1180014S	250	12	24	645
2516942	GED1180130S	250	13	30	865

GED118

DRIFT PUNCH conical, extra strong version

Code	No.	L	s	d	
2522160	GED1180500S	220	5	16	255
2496712	GED1181000S	230	10	19	420
2532921	GED1180015S	250	13	24	880

GED118

DRIFT PUNCH spindle-shaped

Code	No.	L	s	d	
2505843	GED1180004S	200	8	17	230
2505835	GED1180005S	200	8	21	360
2503077	GED1180006S	200	10	24	415
2503050	GED1180007S	200	13	27	630
2503042	GED1180008S	200	18	30	880
2503034	GED1180009S	200	22	32	1050

GED117

CENTRE PUNCH

Code	No.	l mm	s	d	Wt
2495856	GED1170100S	100	3		30
2495848	GED1170110S	110	4		60
2495821	GED1170125S	125	5		100
2495813	GED1170150S	150	6		200

GED118

DRIFT PUNCH SET 6 pieces

In plastic holder

Code	No.	Contents	Wt
2507552	GED1180001S	1 drift punch each 1 2 3 4 5 mm 1 centre punch 4 mm	310

GED119

PIN PUNCH

Similar to DIN 6450

Code	No.	l mm	s	d	Wt
2509741	GED1190150S	110	1.5	10	45
2512491	GED1190200S	110	2.0	10	50
2512483	GED1190300S	110	3.0	10	45
2512467	GED1190400S	120	4.0	10	50
2512459	GED1190500S	130	5.0	10	50
2512440	GED1190600S	140	6.0	10	60
2512432	GED1190800S	150	8.0	12	100
2511800	GED1191000S	160	10.0	12	120
2511797	GED1191300S	180	13.0	16	240
2511789	GED1191600S	200	16.0	16	400

GED119

PIN PUNCH strong version

Code	No.	l mm	s	d	Wt
2522144	GED1191500S	150	6	14	120
2516918	GED1190100S	180	10	14	160
2516926	GED1190013S	200	13	18	290
2516896	GED1190160S	300	16	20	655

GED162

TAPER PUNCH

Code	No.	l mm	s	d	Wt
2512378	GED1620500S	500	5	20	1200

GED118

PIN PUNCH SET 6 pieces

In plastic holder

Code	No.	Contents	Wt
2498863	GED1180002S	1 pin punch each 3 4 5 6 8 10 mm	440

GED120

DRIFT PIN

Similar to DIN 6459

Code	No.	l mm	d	Wt
2515547	GED1200008S	85	8	40
2515431	GED1200010S	90	10	50
2515423	GED1200013S	100	13	70
2515415	GED1200016S	110	16	100
2515393	GED1200019S	140	19	180
2515385	GED1200021S	160	21	270
2515377	GED1200025S	200	25	450
2515369	GED1200029S	240	29	630

GED120

SETTING PUNCH

Code	No.	l mm	s	d	Wt
2515016	GED1200005S	180	5	12	110
2515008	GED1200006S	200	6	13	150
2514982	GED1200080S	200	8	16	220
2514990	GED1200009S	200	9	20	340
2514648	GED1200100S	230	10	22	460
2514699	GED1200011S	250	11	25	620
2514680	GED1200012S	280	12	27	870
2514664	GED1200014S	320	14	30	1260
2514656	GED1200015S	350	15	32	1570
2514621	GED1200160S	380	16	36	2230

GED136

THREAD CLEANING PIN

Code	No.	l mm	Ø	Wt
2514559	GED1360006S	300	6	75
2496593	GED1360007S	300	10	180
2496461	GED1360008S	300	13	350